


# Well W#16381 Information



<b>Date Received</b>		<b>State</b>	Iowa
<b>Owner Name</b>	Kennedy Memorial Pk- Badger La	<b>County</b>	Webster
<b>Alt Name</b>	WEBSTER COUNTY CONSERVATION	<b>Quadrangle</b>	Fort Dodge North, Iowa
<b>WNumber</b>	16381	<b>Township</b>	T90N
<b>PWTS ID</b>	0	<b>Range</b>	R28W
<b>PWS ID</b>	9433904	<b>Section</b>	29
<b>Storet ID</b>	0	<b>Quarter</b>	NW NW NW
<b>SDWIS ID</b>	2412474	<b>Latitude</b>	42.5854130000
<b>USGS ID</b>	0	<b>Longitude</b>	-94.1863930000
<b>Project</b>	Source Water Protection	<b>Accuracy</b>	
<b>Operator</b>	Unknown	<b>UTM X</b>	402651
		<b>UTM Y</b>	4715459

---

<b>Site Type</b>	Drilled hole	<b>Drilling Company</b>	Rosenquist Well
<b>Well Status</b>	Not Used	<b>Drilling Date</b>	04/23/1964
<b>Field Located</b>	No	<b>Drilling Method</b>	Cable
<b>Elevation</b>	1103 ft	<b>Bedrock Depth</b>	135 ft
<b>Elevation Accuracy</b>	Digital Elevation Model Accurate to 5 ft	<b>Well Depth</b>	330 ft
<b>Landscape Position</b>	Upland	<b>Total Depth</b>	330 ft
		<b>Well Types</b>	Public Supply
		<b>Aquifers</b>	Mississippian

# Casing Construction Information

<b>Date</b>	04/23/1964	<b>Casing Type</b>	Unknown
<b>Start Depth</b>	0.00 ft	<b>End Depth</b>	0.00 ft
<b>Diameter</b>	7.00 in	<b>Amount</b>	92.00 ft
<b>Comments</b>			

---

<b>Date</b>	04/23/1964	<b>Casing Type</b>	Unknown
<b>Start Depth</b>	0.00 ft	<b>End Depth</b>	0.00 ft
<b>Diameter</b>	5.00 in	<b>Amount</b>	67.00 ft
<b>Comments</b>			

# Log Information

<b>Date</b>	05/29/1969
<b>Log Types</b>	Strip log
<b>Prepared By</b>	Unknown
<b>Comments</b>	

---

<b>Date</b>	
<b>Log Types</b>	Drillers log
<b>Prepared By</b>	Kennedy Memorial Pk-Badger La
<b>Comments</b>	

# Stratigraphy Information

<b>System</b>	Quaternary		
<b>Series</b>	Pleistocene Series		
<b>Group</b>	Wisconsinan Episode		
<b>Formation</b>	Dows		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	0.00 ft	<b>End Depth</b>	25.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Till - Oxidized And Unleached	<b>Percent</b>	65
<b>Secondary Lithology</b>	Soil Or Fill	<b>Percent</b>	35
<b>Tertiary Lithology</b>	Unknown	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Quaternary
<b>Series</b>	Pleistocene Series
<b>Group</b>	Wisconsinan Episode
<b>Formation</b>	Dows
<b>Member</b>	

<b>Submember</b>			
<b>Start Depth</b>	25.00 ft	<b>End Depth</b>	40.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Till - Unoxidized And Unleached	<b>Percent</b>	55
<b>Secondary Lithology</b>	Till - Oxidized And Unleached	<b>Percent</b>	45
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Quaternary		
<b>Series</b>	Pleistocene Series		
<b>Group</b>	Wisconsinan Episode		
<b>Formation</b>	Dows		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	40.00 ft	<b>End Depth</b>	60.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Till - Unoxidized And Unleached	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Pennsylvanian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	Cherokee		
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	60.00 ft	<b>End Depth</b>	130.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Sandstone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Shale	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>			
<b>Formation</b>	St. Louis		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	130.00 ft	<b>End Depth</b>	150.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			

<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Sandstone	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	Augusta		
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	150.00 ft	<b>End Depth</b>	235.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	Sub-Augusta		
<b>Formation</b>	Gilmore City		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	235.00 ft	<b>End Depth</b>	280.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Limestone	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	Sub-Augusta		
<b>Formation</b>	Maynes Creek		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	280.00 ft	<b>End Depth</b>	330.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

## Water Production Information

<b>Date</b>	04/23/1964	<b>Start Time</b>	
<b>Aquifer</b>	Unknown		
<b>Static Water Level</b>	80.00 ft	<b>Yield</b>	50 gallons per minute
<b>Pumping Water Level</b>	160 ft	<b>Yield Method</b>	Unknown
<b>Measurement</b>	Unknown	<b>Pump Test</b>	No
<b>Pump Method</b>	Unknown	<b>Duration</b>	0 mins
<b>Comments</b>			

## Chip Storage Information

<b>Date</b>	05/11/1964		
<b>Storage</b>	TL5-500	<b>Bin</b>	
<b>Number of Boxes</b>	1	<b>Number of Samples</b>	66
<b>Sample Intervals</b>	5	<b>Sample Gaps</b>	
<b>Sample Top</b>	0 ft	<b>Sample Bottom</b>	330 ft
<b>Washed Top</b>	135 ft	<b>Washed Bottom</b>	330 ft
<b>Duplicate Storage</b>			
<b>Comments</b>			

<https://www.iuhr.uiowa.edu/igs/geosam/well/16381/general-information>