


Well W#25155 Information



Date Received	01/01/1978	State	Iowa
Owner Name	Nora Springs, City Of	County	Floyd
Alt Name	#3	Quadrangle	Nora Springs, Iowa
WNumber	25155	Township	T96N
PWTS ID	0	Range	R18W
PWS ID	3423069	Section	7
Storet ID	0	Quarter	SE NE SW
SDWIS ID	2408756	Latitude	43.1451000000
USGS ID	0	Longitude	-93.0069900000
Project	Source Water Protection	Accuracy	
Operator	Unknown	UTM X	499432
		UTM Y	4776928

Site Type	Drilled hole	Drilling Company	Shawver Well Co.
Well Status	Active	Drilling Date	08/19/1977
Field Located	No	Drilling Method	Rotary
Elevation	1092 ft	Bedrock Depth	0 ft
Elevation Accuracy	Digital Elevation Model Accurate to 5 ft	Well Depth	300 ft
Landscape Position	Unknown	Total Depth	300 ft
		Well Types	Municipal, Public Supply
		Aquifers	Devonian

Casing Construction Information

Date	08/19/1977	Casing Type	Unknown
Start Depth	0.00 ft	End Depth	0.00 ft

Diameter	10.00 in	Amount	150.00 ft
Comments			

Grout Construction Information

Date	08/19/1977	Grout Placement	Unknown
Grout Type	Unknown	End Depth	150.00 ft
Start Depth	0.00 ft		
Comments			

Log Information

Date	
Log Types	Strip log
Prepared By	Unknown
Comments	

Date	
Log Types	Drillers log
Prepared By	Nora Springs, City Of
Comments	

Stratigraphy Information

System	Quaternary		
Series	Pleistocene Series		
Group			
Formation			
Member			
Submember			
Start Depth	0.00 ft	End Depth	10.00 ft
Contact Accuracy			
Penetration			
Primary Lithology	Till	Percent	100
Secondary Lithology		Percent	
Tertiary Lithology		Percent	
Comments			

System	Devonian		
Series			
Group	Cedar Valley		
Formation	Shell Rock		
Member			
Submember			
Start Depth	10.00 ft	End Depth	50.00 ft
Contact Accuracy			

Penetration			
Primary Lithology	Dolomite	Percent	100
Secondary Lithology		Percent	
Tertiary Lithology		Percent	
Comments			

System	Devonian		
Series			
Group	Cedar Valley		
Formation			
Member			
Submember			
Start Depth	50.00 ft	End Depth	217.00 ft
Contact Accuracy			
Penetration			
Primary Lithology	Dolomite	Percent	0
Secondary Lithology	Limestone	Percent	0
Tertiary Lithology	Unknown	Percent	0
Comments			

System	Devonian		
Series			
Group	Wapsipinicon		
Formation			
Member			
Submember			
Start Depth	217.00 ft	End Depth	250.00 ft
Contact Accuracy			
Penetration			
Primary Lithology	Dolomite	Percent	0
Secondary Lithology	Shale	Percent	0
Tertiary Lithology		Percent	
Comments			

System	Devonian		
Series			
Group	Wapsipinicon		
Formation	Spillville		
Member			
Submember			
Start Depth	250.00 ft	End Depth	300.00 ft
Contact Accuracy			
Penetration			
Primary Lithology	Dolomite	Percent	100
Secondary Lithology	Unknown	Percent	0
Tertiary Lithology	Unknown	Percent	0
Comments			

Chip Storage Information

Date	07/07/1978		
Storage	PL9-658	Bin	
Number of Boxes	1	Number of Samples	60
Sample Intervals	5	Sample Gaps	
Sample Top	0 ft	Sample Bottom	300 ft
Washed Top	10 ft	Washed Bottom	300 ft
Duplicate Storage			
Comments			

<https://www.iihr.uiowa.edu/igs/geosam/well/25155/general-information>