


# Well W#3065 Information



<b>Date Received</b>		<b>State</b>	Iowa
<b>Owner Name</b>	Hedrick, City Of	<b>County</b>	Keokuk
<b>Alt Name</b>		<b>Quadrangle</b>	Hedrick, Iowa
<b>WNumber</b>	3065	<b>Township</b>	T74N
<b>PWTS ID</b>	0	<b>Range</b>	R13W
<b>PWS ID</b>	5432042	<b>Section</b>	36
<b>Storet ID</b>	0	<b>Quarter</b>	NW SE NW
<b>SDWIS ID</b>	0	<b>Latitude</b>	41.1716210000
<b>USGS ID</b>	0	<b>Longitude</b>	-92.3096180000
<b>Project</b>	Source Water Protection	<b>Accuracy</b>	
<b>Operator</b>	Unknown	<b>UTM X</b>	557911
		<b>UTM Y</b>	4558039

<b>Site Type</b>	Drilled hole	<b>Drilling Company</b>	Unknown
<b>Well Status</b>	Not Used	<b>Drilling Date</b>	08/01/1948
<b>Field Located</b>	No	<b>Drilling Method</b>	Unknown
<b>Elevation</b>	822 ft	<b>Bedrock Depth</b>	0 ft
<b>Elevation Accuracy</b>	Digital Elevation Model Accurate to 5 ft	<b>Well Depth</b>	1724 ft
<b>Landscape Position</b>	Unknown	<b>Total Depth</b>	1724 ft
		<b>Well Types</b>	Municipal
		<b>Aquifers</b>	Cambrian-Ordovician

## Log Information

<b>Date</b>	08/30/1948
<b>Log Types</b>	Strip log

**Prepared By**  
**Comments**

---

**Date** 11/24/1947  
**Log Types** Strip log  
**Prepared By** Harris Jr., Stanley E.  
**Comments**

---

**Date**  
**Log Types** Drillers log  
**Prepared By** Hedrick, City Of  
**Comments**

## Stratigraphy Information

**System** Quaternary  
**Series**  
**Group**  
**Formation**  
**Member**  
**Submember**  
**Start Depth** 0.00 ft **End Depth** 5.00 ft  
**Contact Accuracy**  
**Penetration**  
**Primary Lithology** Soil Or Fill **Percent** 100  
**Secondary Lithology** **Percent**  
**Tertiary Lithology** **Percent**  
**Comments**

---

**System** Quaternary  
**Series** Pleistocene Series  
**Group** Pre-Illinoian  
**Formation**  
**Member**  
**Submember**  
**Start Depth** 5.00 ft **End Depth** 15.00 ft  
**Contact Accuracy**  
**Penetration**  
**Primary Lithology** Till - Oxidized And Leached **Percent** 0  
**Secondary Lithology** Paleosol **Percent** 0  
**Tertiary Lithology** Unknown **Percent** 0  
**Comments**

---

**System** Quaternary  
**Series** Pleistocene Series  
**Group** Pre-Illinoian  
**Formation**

<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	15.00 ft	<b>End Depth</b>	30.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Paleosol	<b>Percent</b>	0
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Quaternary		
<b>Series</b>	Pleistocene Series		
<b>Group</b>	Pre-Illinoian		
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	30.00 ft	<b>End Depth</b>	50.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Till - Oxidized And Unleached	<b>Percent</b>	0
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Quaternary		
<b>Series</b>	Pleistocene Series		
<b>Group</b>			
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	50.00 ft	<b>End Depth</b>	95.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Sand And Gravel	<b>Percent</b>	0
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Quaternary		
<b>Series</b>	Pleistocene Series		
<b>Group</b>			
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	95.00 ft	<b>End Depth</b>	110.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Till - Unoxidized And	<b>Percent</b>	0

<b>Secondary Lithology</b>	Unleached		
	Shale	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Sand And Gravel	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Pennsylvanian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	Cherokee		
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	110.00 ft	<b>End Depth</b>	140.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	0
<b>Secondary Lithology</b>	Sandstone	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>			
<b>Formation</b>	St. Louis		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	140.00 ft	<b>End Depth</b>	210.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Sandstone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	Augusta		
<b>Formation</b>	Warsaw		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	210.00 ft	<b>End Depth</b>	270.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Shale	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			

<b>Group</b>	Augusta		
<b>Formation</b>	Keokuk		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	270.00 ft	<b>End Depth</b>	310.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	Augusta		
<b>Formation</b>	Burlington		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	310.00 ft	<b>End Depth</b>	390.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Unknown		
<b>Series</b>			
<b>Group</b>			
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	390.00 ft	<b>End Depth</b>	460.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	North Hill		
<b>Formation</b>	Prospect Hill		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	460.00 ft	<b>End Depth</b>	465.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			

<b>Primary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Shale	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Mississippian (Subsystem Of Carboniferous System)		
<b>Series</b>			
<b>Group</b>	North Hill		
<b>Formation</b>	Mccraney		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	465.00 ft	<b>End Depth</b>	520.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Yellow Spring (New Albany)		
<b>Formation</b>	Maple Mill		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	520.00 ft	<b>End Depth</b>	585.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Yellow Spring (New Albany)		
<b>Formation</b>	Sheffield		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	585.00 ft	<b>End Depth</b>	640.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			

<b>Group</b>	Yellow Spring (New Albany)		
<b>Formation</b>	Lime Creek		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	640.00 ft	<b>End Depth</b>	740.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Cedar Valley		
<b>Formation</b>	Coralville		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	740.00 ft	<b>End Depth</b>	820.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Cedar Valley		
<b>Formation</b>	Little Cedar		
<b>Member</b>	Rapid		
<b>Submember</b>			
<b>Start Depth</b>	820.00 ft	<b>End Depth</b>	870.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Ls/Dol Mixed	<b>Percent</b>	0
<b>Secondary Lithology</b>	Shale	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Cedar Valley		
<b>Formation</b>	Little Cedar		
<b>Member</b>	Solon		
<b>Submember</b>			
<b>Start Depth</b>	870.00 ft	<b>End Depth</b>	935.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			

<b>Primary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Shale	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Wapsipinicon		
<b>Formation</b>	Pinicon Ridge		
<b>Member</b>	Davenport		
<b>Submember</b>			
<b>Start Depth</b>	935.00 ft	<b>End Depth</b>	1015.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Gypsum/Anhydrite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Wapsipinicon		
<b>Formation</b>	Pinicon Ridge		
<b>Member</b>	Spring Grove		
<b>Submember</b>			
<b>Start Depth</b>	1015.00 ft	<b>End Depth</b>	1040.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Gypsum/Anhydrite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Devonian		
<b>Series</b>			
<b>Group</b>	Wapsipinicon		
<b>Formation</b>	Pinicon Ridge		
<b>Member</b>	Kenwood		
<b>Submember</b>			
<b>Start Depth</b>	1040.00 ft	<b>End Depth</b>	1060.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	0
<b>Secondary Lithology</b>	Gypsum/Anhydrite	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			



<b>Group</b>			
<b>Formation</b>	Maquoketa		
<b>Member</b>	Ft. Atkinson Limestone		
<b>Submember</b>			
<b>Start Depth</b>	1060.00 ft	<b>End Depth</b>	1085.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>			
<b>Formation</b>	Maquoketa		
<b>Member</b>	Elgin Limestone		
<b>Submember</b>			
<b>Start Depth</b>	1085.00 ft	<b>End Depth</b>	1170.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Siltstone	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Unknown		
<b>Series</b>			
<b>Group</b>			
<b>Formation</b>			
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	1170.00 ft	<b>End Depth</b>	1360.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Galena		
<b>Formation</b>	Decorah		
<b>Member</b>	Ion		
<b>Submember</b>			
<b>Start Depth</b>	1360.00 ft	<b>End Depth</b>	1370.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			

<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Galena		
<b>Formation</b>	Decorah		
<b>Member</b>	Guttenberg		
<b>Submember</b>			
<b>Start Depth</b>	1370.00 ft	<b>End Depth</b>	1380.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Galena		
<b>Formation</b>	Decorah		
<b>Member</b>	Spechts Ferry		
<b>Submember</b>			
<b>Start Depth</b>	1380.00 ft	<b>End Depth</b>	1385.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Sandstone	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Galena		
<b>Formation</b>	Platteville		
<b>Member</b>	Mcgregor		
<b>Submember</b>			
<b>Start Depth</b>	1385.00 ft	<b>End Depth</b>	1410.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			

<b>Group</b>	Galena		
<b>Formation</b>	Platteville		
<b>Member</b>	Pecatonica		
<b>Submember</b>			
<b>Start Depth</b>	1410.00 ft	<b>End Depth</b>	1425.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Secondary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Sandstone	<b>Percent</b>	0
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Ancell		
<b>Formation</b>	Glenwood		
<b>Member</b>	Harmony Hill		
<b>Submember</b>			
<b>Start Depth</b>	1425.00 ft	<b>End Depth</b>	1430.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Shale	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Ancell		
<b>Formation</b>	St. Peter Sandstone		
<b>Member</b>			
<b>Submember</b>			
<b>Start Depth</b>	1430.00 ft	<b>End Depth</b>	1475.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Sandstone	<b>Percent</b>	100
<b>Secondary Lithology</b>		<b>Percent</b>	
<b>Tertiary Lithology</b>		<b>Percent</b>	
<b>Comments</b>			

---

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Prairie Du Chien		
<b>Formation</b>	Shakopee		
<b>Member</b>	Willow River		
<b>Submember</b>			
<b>Start Depth</b>	1475.00 ft	<b>End Depth</b>	1620.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			

<b>Primary Lithology</b>	Limestone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

<b>System</b>	Ordovician		
<b>Series</b>			
<b>Group</b>	Prairie Du Chien		
<b>Formation</b>	Shakopee		
<b>Member</b>	New Richmond		
<b>Submember</b>			
<b>Start Depth</b>	1620.00 ft	<b>End Depth</b>	1724.00 ft
<b>Contact Accuracy</b>			
<b>Penetration</b>			
<b>Primary Lithology</b>	Sandstone	<b>Percent</b>	0
<b>Secondary Lithology</b>	Dolomite	<b>Percent</b>	0
<b>Tertiary Lithology</b>	Chert/Chalcedony	<b>Percent</b>	0
<b>Comments</b>			

## Water Production Information

<b>Date</b>	10/15/1947	<b>Start Time</b>	
<b>Aquifer</b>	Unknown		
<b>Static Water Level</b>	171.00 ft	<b>Yield</b>	56 gallons per minute
<b>Pumping Water Level</b>	189 ft	<b>Yield Method</b>	Unknown
<b>Measurement</b>	Unknown	<b>Pump Test</b>	Yes
<b>Pump Method</b>	Unknown	<b>Duration</b>	0 mins
<b>Comments</b>			

## Chip Storage Information

<b>Date</b>		<b>Bin</b>	
<b>Storage</b>	CD7-1->5	<b>Number of Samples</b>	442
<b>Number of Boxes</b>	5	<b>Sample Gaps</b>	260-265,1700-1710
<b>Sample Intervals</b>	0	<b>Sample Bottom</b>	1725 ft
<b>Sample Top</b>	0 ft	<b>Washed Bottom</b>	1725 ft
<b>Washed Top</b>	110 ft		
<b>Duplicate Storage</b>			
<b>Comments</b>			

<https://www.iuhr.uiowa.edu/igs/geosam/well/3065/general-information>