

26899

WELL RECORD

Well is located _____ miles S and _____ miles S from
N E N
E E
W W

Halbur in Carroll,
(Nearest Town) (County)

in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 18 T. 83N R. 35W

Owner Town of Halbur Well No. 5

Postoffice address Halbur 51444

Contractor Winter Well Co Inc.

Address Schaller 51053

Driller Jim Winter

Well begun 11-1, 1982;

completed 11-11, 1982

Rig used—Cable, Rotary, Jet, or _____

Depth of well 313
(Feet)

Size of hole (note total amount of each size) 3 1/3'

5" pipe & screen

Main water supply at 300' to 308'
(Feet below surface)

Final water head 160'
(Feet above or below surface)

Is well pumped? yes

Yield 15
(Gallons per minute)

Water level when pumping 240'

Position of well _____
(Upland, valley, side hill, etc.)

[illegible]

Size Pipe	Amount of Pipe	Depth to Bottom of Pipe	Depth to Top of Pipe	Type* and Weight of Pipe	DIAGRAM OF WELL
5"	299	299	0	250 LB. P.V.C.	
5"	4'	313	309	250 LB. P.V.C.	

Is screen used? yes Diameter 52 O.D.
(Inches)

Depth to top 299 Slot size 35

Kind _____

Where used _____

Kind of pump Sub Dia. 4"
(Inches)

Capacity of pump-----15
(g.p.m.)

Power used _____
(Kind and amount)

Depth to bottom of pump line-----240-----feet,
including-----feet tailpiece.

Remarks on construction of well Ever 700
screen gravel packed in 8 $\frac{3}{4}$ "
hole with #0 muscatine gravel.

SAMPLE NO.	DEPTH		THICKNESS
	From	To	
	0	18	18
	18	27	9
	27	29	2
	29	34	5
	34	80	46
	80	90	10
	90	120	30
	120	180	60
	180	210	30
	210	235	25
	235	250	15
	250	275	25
	275	281	6
	281	291	10
	291	299	8
	299	307	8
	307	308	1

DESCRIPTION OF BEDS	
KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.	
YELLOW CLAY	
SAND & GRAVEL	
YELLOW CLAY	
GRAVEL	
BLUE CLAY + gravel mfr	
GRAVEL & WOOD	
BLUE CLAY	
YELLOW CLAY	
BLUE CLAY	
YELLOW CLAY	
GRAY CLAY	
BLACK CLAY	
GREEN CLAY sand + clay mfr	
FINE SAND DIRTY	
GREEN CLAY + sand mfr	
NEBRASKAN SAND	
SHALE	

[illegible]