

#29219

## WELL RECORD

Well is located \_\_\_\_\_ miles S and \_\_\_\_\_ miles S from  
N E  
E E  
W W

Fenton in Kossuth  
(Nearest Town) (County)

in the \_\_\_\_\_  $\frac{1}{4}$  \_\_\_\_\_  $\frac{1}{4}$  Sec. \_\_\_\_\_ T. \_\_\_\_\_ R. \_\_\_\_\_

Owner Fenton, <sup>City of</sup> Well No. \_\_\_\_\_

Postoffice address Fenton

Contractor Lehman & Co. Well

Address RR Algona

Driller Jim Lehman & Co.

Well begun 7-15-83, 19\_\_\_\_;

completed 7-16-83, 19\_\_\_\_

Rig used—Cable, Rotary, Jet, or \_\_\_\_\_

Depth of well 229  
(Feet)

Size of hole (note total amount of each size) 7"

Main water supply at 229  
(Feet below surface)

Final water head 62'  
(Feet above or below surface)

Is well pumped? ~~no~~ yes

Yield 300  
(Gallons per minute)

Water level when pumping 66

Position of well \_\_\_\_\_  
(Upland, valley, side hill, etc.)

## RECORD OF PERMANENT CASING

Size Pipe	Amount of Pipe	Depth to Bottom of Pipe	Depth to Top of Pipe	Type <sup>o</sup> and Weight of Pipe	DIAGRAM OF WELL

<sup>o</sup>As cast, wrought iron, steel, concrete, etc.

Is screen used? No Diameter \_\_\_\_\_ (Inches)

Length \_\_\_\_\_ (Feet) Depth to bottom \_\_\_\_\_

Depth to top \_\_\_\_\_ Slot size \_\_\_\_\_

Are packers or seals used? \_\_\_\_\_

Kind \_\_\_\_\_

Where used \_\_\_\_\_

Kind of pump \_\_\_\_\_ Dia. \_\_\_\_\_ (Inches)

Capacity of pump \_\_\_\_\_ (g.p.m.)

Power used \_\_\_\_\_ (Kind and amount)

Depth to bottom of pump line \_\_\_\_\_ feet,

including \_\_\_\_\_ feet tailpiece.

Remarks on construction of well \_\_\_\_\_

W 29219

210-220'

dom. sd, vf-m, r-d

tr. sh, gr, pt. v. sh. dol.

tr. Ls. and dol.,  
rounded grains/clasts

interp = Cretac.

(Paleozoic could be

caving or

reworked in basal

cretaceous)

Samples evaluated by Brian Kitzke

5/1/2001