

Camp 4 oupck

18358

WELL RECORD

Well is located 5 miles ^N_E and miles ^N_E from
W W

Central City in Linn
(Nearest Town) (County)

in the 1/4 1/4 Sec. 8 T. 85 R. 5W

Owner B. V. Scott Well No. 3

Postoffice address Cedar Rapids

Contractor L. A. & J. S.

Address Riverside Dr

Driller Deane

Well begun April 4, 1966

completed 19, 1966

Rig used—Cable, Rotary, Jet, or

Depth of well 325
(Feet)

Size of hole (note total amount of each size) 66'

12"-136'-10"-123'-6"

Main water supply at 260 - 325
(Feet below surface)

Final water head 160'
(Feet above or below surface)

Is well pumped? Yes

Yield 286 PM
(Gallons per minute)

Water level when pumping 170'

Position of well
(Upland, valley, side hill, etc.)

20' 2
68
4

RECORD OF PERMANENT CASING

Size Pipe	Amount of Pipe	Depth to Bottom of Pipe	Depth to Top of Pipe	Type ^o and Weight of Pipe	DIAGRAM OF WELL
10	66'-6		4"	41#	
6	202		2' above ground	19.4/5 74 C7	

*As cast, wrought iron, steel, concrete, etc.

Is screen used?----- Diameter-----
(Inches)

Length----- Depth to bottom-----
(Feet)

Depth to top----- Slot size-----

Are packers or seals used?-----

Kind -----

Where used-----

Kind of pump----- Dia.-----
(Inches)

Capacity of pump-----
(g.p.m.)

Power used-----
(Kind and amount)

Depth to bottom of pump line-----feet,
including-----feet tailpiece.

Remarks on construction of well-----

SAMPLE NO.	DEPTH		THICKNESS
	From	To	
0	0	5	5
2	5	10	
3	10	15	
4	15	20	
5	20	25	
6	25	30	
7	30	35	
8	35	40	
9	40	45	
10	45	50	
11	50	55	
12	55	60	
13	60	65	
14	65	70	
15	70	75	
16	75	80	
17	80	85	

DESCRIPTION OF BEDS		
KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.		
Red silt + sand.		
" "	"	
" "	"	
" "	"	
" "	"	
" "	"	
" "	"	
" "	"	
" "	"	
SANDY Clay - Yellow		
" "	"	"
" "	"	"
" "	"	"
" "	"	"
Limestone Ledge gray clay		
Limestone 1 1/2' hard.		
Yellow Limestone soft.		
" "	"	"
" "	"	"

SAMPLE NO.	DEPTH		THICKNESS
	From	To	
18	85	90	
19	90	95	
20	95	100	
21	100	105	
22	105	110	
23	110	115	
24	115	120	
25	120	125	
26	125	130	
27	130	135	
28	135	140	
29	140	145	
30	145	150	5
31	150	160	10
32	160	165	
33	165	170	
34	170	175	

[illegible]

THICKNESS

SAMPLE NO.	DEPTH		THICKNESS
	From	To	
35	175	180	5
36	180	185	5
37	185	190	
38	190	195	
39	195	200	
40	200	205	
41	205	210	
42	210	215	
43	215	220	
44	220	225	
45	225	230	
46	230	235	
47	235	240	
48	240	245	
49	245	250	
50	250	255	
51	255	260	

DESCRIPTION OF BEDS

KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.

Gray Finster
" "
" "

Hole Break.
Silurian?
" "

Gray Gristle Drury
" "

Broaden Finster
" "
" "
" "
" " SOFT
" "
" "
" "
" "

SAMPLE NO.	DEPTH		THICKNESS
	From	To	
56	260	265	10
57	265	270	
58	270	275	
59	275	280	
60	280	285	
61	285	290	
62	290	300	
63	300	305	
64	305	310	
65	310	315	
66	315	320	
67	320	325	
68	325	330	
69	330	335	
70	335	340	
71	340	345	
72	345	350	

DESCRIPTION OF BEDS

KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.

58 FT Brown Limestone

" " "

24 ft Limestone

" "

" " Breccia.

" "

" "

SANDY Dolomite.

" " Fine pink

" " "

Very Cherty.

" " T. b.