Location: In small park on N. side old Hwy 30, NW part of town
Hwy 30, Nw part of Town
SE/4 NW14 NE/4 Sec 9, T82N, R5W WELL RECORD LINN County
(
N N E E
Well is locatedmiles S andmiles S from
W
(Nearest Town) (County)
in the¼ YecT
in the% SecTR. Owner MT VERNON Well No.
Postoffice address
Contractor Layne WESTERN CO.
Address 705 Solth Duff AMES, IA
Driller DHELDT
Well begun 8-12, 1987,
completed 8-2-7 , 19-8-7
Rig used-Cable, Rotary, Jet, or ROTARY
Depth of well 388
(Feet) 19', 24"
Size of hole (note total amount of each size) 19'-24" 145'-17.5" - 222'-11"
Main water supply at(Feet below surface)
Final water head (Feet above or below surface)
Is well pumped?
Yield(Gallons per minute)
Water level when pumping
Position of well (Upland, valley, side hill, etc.)

	Water Level	SOURCE	OF WATER	Production	Pumping Level	
ate and Timo		Depth	Type of Rock	in Gallons per Minute		
27-87	82'					
	 					
					<u> </u>	
	 	-		-		
	-	┼	<u> </u>	<u> </u>		
	<u> </u>	-				
	-		 		<u> </u>	
		_	-	 	-	
_				<u> </u>		

NOTE: Water levels should be recorded at time of change AND at regular intervals; for example each morning before drilling starts or at the end of each 100 feet of drilling.

RECORD OF PERMANENT CASING

		1					
	Size Pipe	Amount of Pipe	Depth to Bottom of Pipe	Depth to Top of Pipe	Type ^e and Weight of Pipe	DIAGRAM	OF W
-	1Z"	164	162		3/8"P	E	
]			•	
•							
•							
-							
~							
_					1		
	°A:	cast, wros	ght iron,	steel, con	crete, etc.		
	Is so	reen used	የ	Di	ameter		
	Leng	th(Fe	D	epth to l	bottom	Inches)	
	Dept	h to top_		Slot	t size		
	Are p	ackers or	scals used	P			
	Kind						
	Wher	e used					
	Kind	of pump.			Dia		
	Capac	city of pu	mp	_	p.m.)	(Inches)	
	Power	used		_	- '		
				Kind and			
				p line		fcet,	
	includ	ing	·o-		feet	tailpiece.	_
	Remar	ks on co	nstruction	of well.	Groute	A 14 15	rH
	neax o	Cemen	10-1	62' U	vith 12	5 sont	e
	cenc	ento	rud (6 sau	iks be	ntoner	É

SAMPLE	DEP	тн	THICKNESS	DESCRIPTION OF BEDS
NO.	From	То		KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.
No.	0	2	Sod- ?	Black Topsoil
" mile	2	Y	E	Brown Class
	4	(a)		Brown Till COBDIES
***	400	3/		25-30 F-M SAND BAN
<u> </u>	31			Blue Coray Till Lars
	N State of the sta			CobblES FROM 34FT.
			CHERTY	SANU BROKENROCK 105'TG/095'
	766	148		COBBIES FROM 135'
-	148	152	UERY	Saft Shaley CIMESTONE
	152	160	2	OFF WhitE (imESTONE
	160	175	H H	Boff LimestonE
The state of the s	175	237		C+ Ban -Off White CIMESTONE
4.3	237	238		Lt GRAY CIMESTONE
	238	266		OFF White Cimestone
	266	290	VERY	Lt Brown limestone
1	290	374	e	off White CIMESTONE
-1154	374	384	Total Control	BRM to GRAY LINESTONE
	411			

50						
DEPTH		THICKNESS	DESCRIPTION OF BEDS			
NO.	From	То	Iniciates	KIND OF ROCK, COLOR, HARD OR SOFT, WATER, ETC.		
	381	386	**	GREEN Shaley limestonE GREEN Shale		
	386	388	<u></u>	GREEL Thate		
		1 1 1				
7						
3						
10			2 353			
			-5	-		
			The state of			
		100	576	<u></u>		