

| | ot: | |
|--|-----|--|
| | | |
| | | |

| well Details | | | | |
|--------------------------------------|--|-------------------------|--------------------------|---------|
| Help | | | | |
| Permit Number: | | | | |
| Well Number: | 2184662 | | | |
| County: * | ALLAMAKEE | | | |
| Well Status: * | Active | | | |
| Geosam Reviewed | : (2 | | | |
| Other Well Use | ers Add Other Well User | | | |
| There are currently n | o other well users. | | | |
| Previous Owner There is currently no | Owner history. | | | |
| Current Prope | rty Owner Information | | | |
| Name (F/M/L): * | | | | |
| Company: * | OLD EAST PAINT CREEK EVANGELICAL LUT | HERAN CHURCH | | |
| Street: * | 1783 & 1799 ELON DRIVE | | | |
| City: * | WATERVILLE State: * Iowa | ∨ zip | : * 52170 | |
| Phone: | | | | |
| Well Location | | | | |
| If you intend to input | 'GPS Readings', Please click on 'Populate PLS' butto | n after you complete e | ntering valld Lat/Long v | ralues. |
| Map Type: * | Get Map ○ GPS Readings | | | |
| Latitude * | 43.2627189896 Longitude: * | -91.2725796158 | Get Map | |
| PLS: | SW1/4, SE1/4, NE1/4, Sec 35, T 98, R | 4W | | |
| Section: | 35 ∨ Township : 98 ∨ | Range: 4 💙 | RangeDir : W 🗸 | |
| Qtr Sec 3: | SW ✓ Qtr Sec 2: SE ✓ | Qtr Sec 1: NE V | | |
| Parcel Number: | | | | |
| E911 House Numl | per: E911 Street: | | E911 City: | |
| Well Details | | * Well Use | | |
| Date Completed: | * 09 / 01 / 2015 | | | |
| Date Completed C | | ✓ Household ✓ Livestock | | |
| 25protou 6 | ● Known ○ Questionable ○ Guess | Subdivision | | |
| Samples have her | en submitted to IGS for analysis: | ✓ Commercial | | |
| Well Depth: * | 480 | ☐ Irrigation | | |
| | | | | |

| Well Depti | Confidence | : * | | | Recreation | onal | |
|--------------|----------------------------------|--------------------------|-------------|---------------|--------------------|---------------|---------------------|
| | | ○ Known (Que | stionable | Guess | Dewateri | ng | |
| Depth to V | Vater: | | | ☐ Injection | _ | | |
| Topograph | ny: | Upland | | ~ | ☐Test (wa | | |
| Elevation: | | | | Monitoring | | Descriptor: * | |
| | struction Method: * Rotary Drill | | Heat Pur | np | Number of Wells: * | | |
| Data Enter | | MBERNS | | | | | |
| Well Drille | | | AEN, DA | VID - 4631 | | ~ | |
| Contract C | omnany: | Larson Well Drillin | | | | | $\overline{\qquad}$ |
| contract c | opany | | . 5 | | | | |
| Well Dev | reloped | | | | Pump Insta | alled | |
| Well Was: | Stect [| Develo ped M ethod | ~ | | O Yes No | | |
| For: | | hours | | | | | |
| At: | | GPM | | | | | |
| | THIS IS A | PWS BECAUSE OF B | EING | | | | |
| Explain: | CONNECTE | ED TO THE CHURCH | | 200 | | | |
| | 7 | 0337 001 | | - | | | |
| | | | | | | | |
| Wall For | rmation L | 05 | | | | | |
| | | og | | | | | |
| 3 Add | Rows | | | | | | |
| From | То | Lithology | 7 | Color | | Comments | s |
| 0 | 5 | soil or fill | <u> </u> | Brown | <u> </u> | | |
| 5 | 15 | sandy clay | | Brown | <u> </u> | and rock | |
| 15 | 45 | limestone | | Brown | ~] | | |
| 45 | 55 | shale | ~ | Gray | ~ | | |
| [55 | 95 | limestone | ~ | Gray | V | | |
| 95 | 100 | shale | ~ | Gray | ~ | | |
| [100 | 150 | sandstone | | Brown | <u> </u> | | |
| 150 | 400 | limestone | \ \ \ | Brown | ▽ | | |
| 400 | 500 | sandstone | - 1 | Brown | ~ | | |
| [100 | 300 | Sandstone | -1 | DIOW!! | 207 | | |
| Remarks: | (Including o | lepth of drilling, fluid | is, mater | ials, or tool | ls, etc.) | | |
| | | | | | | | |
| | | | | | | | ~ |
| - | | | | | | | |
| 0 characters | entered. 2 | 50 characters remaining | ıg. | | | | |
| Well Co | nstructio | n l og | | | | | |
| | | Log | | | | | |
| Hole Siz | | | | | | | |
| 2 Add | Rows | | | | | | |
| Тор | Bottom | Hole Size Comments | | | | | |
| [0 | 20 | [12 | | | | | |
| [20 | 417 | [10 | | | | | |
| 417 | 480 | 5 | | | | 717 | |

Casing



| Casing Type | | Тор | Bottom | Diameter | ID/OD | | STD/Thickness | Comments |
|-------------|---|-----|--------|----------|-------|---|---------------|----------|
| Steel | ~ | 0 | 20 |][10 | OD | ~ | | |
| Steel | ~ | +1 | 417 |][5 | OD | ~ | | |

Grout

| \neg | | |
|--------|-----|------|
| - 1 | Add | Rows |

| Grouting Type | Grouting Method | | Bottom | Amount | | | Comments | |
|---------------|------------------|---|--------|--------|------|---|----------|--|
| Neat Cement 🗸 | Tremie With Shoe | 0 | 417 | 120 | Bags | ~ | | |

Well Screen



| Material | Diameter | Slot Size | Тор | Bottom | Comments |
|-------------------|----------|-----------|-----|--------|----------|
| Screen Material V | | | | | |

Bottom Capped




Capping Material: *

Gravel Pack




| Тор | Bottom | Gravel Type | Weight | Comments |
|-----|--------|-------------|--------|----------|
| | | Gravel Type | | |

Seals and Packers



Well Water Information



Renovations Add Renovation

There are currently no results.