

# Bedrock Geology of the Waverly (Iowa) 7.5' Quadrangle

## BEDROCK GEOLOGY OF THE WAVERLY 7.5' QUADRANGLE, BREMER AND BLACK HAWK COUNTIES, IOWA

Iowa Geological Survey  
Open File Map OFM-09-02  
June 2009

prepared by

Robert McKay, Huaibao Liu, and James Gigliero

Iowa Geological Survey, Iowa City, Iowa





Iowa Department of Natural Resources, Richard A. Leopold, Director  
Iowa Geological Survey, Robert D. Libra, State Geologist


Supported in part by the U.S. Geological Survey  
Cooperative Agreement Number 08HQAG0082  
National Cooperative Geologic Mapping Program (STATEMAP)

### ACKNOWLEDGMENTS

New subsurface geologic data was mostly generated by University of Iowa students Kristy Hanley, Sarah Byram and Kyle Bracken who produced descriptive logs of water well drill samples. Dr. Chad Heinzl of the University of Northern Iowa and his students joined the mapping team discussion on local geology and stratigraphy. Special thanks to Paul Niemann Construction, owner of the Denver-Foelske Quarry. Thomas Marshall of the Iowa Geological Survey (IGS) provided additional descriptive logging of water wells. Michael Bounk (IGS) participated in part of the field work; Deborah Quade (IGS) lent support with Quaternary field and office expertise; Murray Perdue (IGS) prepared well samples for stratigraphic logging; Ray Anderson and Brian Witzke (IGS) provided valued information concerning the bedrock topography, geology and Devonian and Silurian stratigraphy of the area; and Chris Kahle and Andy Asell (IGS) provided GIS mapping technical help.



GEOLOGIC CROSS-SECTION A-B



### LEGEND

#### CENOZOIC

##### QUATERNARY SYSTEM

**Qu** - Undifferentiated unconsolidated sediment. Consists of loamy soils developed in loess and glacial till of variable thickness, and alluvial clay, silt, sand and gravel. Total thickness can be up to 56 m (180 ft) in the northeast part of the quad. Unit shown only on cross-section, not on map.

#### PALEOZOIC

##### DEVONIAN SYSTEM

**Dcv** - Limestone and Dolomite (Coraville Formation) Middle Devonian. Thickness of this formation varies between 9 and 10 m (30-33 ft), and is dominated by limestone, dolomitic limestone, and dolomite, in part laminated and argillaceous; brachiopods and corals are usually abundant in the limestone facies.

**Dlc** - Dolomite and Limestone (Little Cedar Formation) Middle Devonian. The thickness of this formation ranges from 27 to 36 m (90-120 ft) in this quad. It is dominated by slightly argillaceous to argillaceous dolomite and dolomitic limestone, usually vuggy and partially laminated and/or cherty. This unit is commonly fossiliferous and brachiopods are especially abundant in lower portion.

**Dw** - Dolomite, Limestone, Shale, and minor Sandstone (Wapsipicon Group) Middle Devonian. This map unit usually contains the Fincon Ridge Formation only, with a total thickness that varies between 6 and 12 m (18-40 ft) in the mapping area. It is dominated by laminated or beccated, unfossiliferous limestone and dolomite that is sometimes sandy and cherty at its base.

##### SILURIAN SYSTEM

**Shb** - Dolomite with Chert (Hopkinton and Blanding Formations) Lower Silurian. Total thickness up to 20 m (65 ft). Fossiliferous to vuggy dolomite, and cherty to very cherty with nodular to bedded chert in the upper part of the Blanding. Fossils include corals, brachiopods and stromatolites.

##### ORDOVICIAN SYSTEM


**Om** - Shale and Dolomite (Maquoketa Formation) Upper Ordovician. Total thickness up to 78 m (250 ft). Interbedded dolomitic shale and shaly dolomite; variably cherty and fossiliferous with brachiopods and graptolites.

- Drill Holes
- D Outcrops


### Correlation of Map Units

AGE (Ma)	SYSTEM	SERIES	STAGE	MAP UNIT
2.58	QUATERNARY			Qu
385	DEVONIAN	Upper	Frasnian	Dcv
			Givetian	Dlc
			Eifelian	Dw
436	SILURIAN	Llandoveryan	Aeronian	Shb
			Rhuddanian	
			Gamachian	
			Richmondian	Om
450	ORDOVICIAN	Upper Cincinnati	Maysvillian	
			Edenian	

### Adjacent 7.5' Quadrangles



### Location Map



Base map from USGS Waverly 7.5' Digital Raster Graphic (IGS GIS file DRGH35.TIF) which was scanned from the Waverly 7.5' Topographic Quadrangle map, published by US Geological Survey in 1983, photorevised in 1972. Topographic contours and land features based on 1958 aerial photography, field checked in 1963. Land elevation contours (10' interval) based on NGVD 1929.

Iowa Geological Survey digital cartographic file Waverlyquad\_bedrock09.mxd, version 6/15/09 (ArcGIS 9.2). Map projection and coordinate system based on Universal Transverse Mercator (UTM) Zone 15, datum NAD83.

The map and cross section are based on interpretations of the best available information at the time of mapping. Map interpretations are not a substitute for detailed site specific studies.